

# Summary of the 2021 Region F Regional Water Plan<sup>1</sup>

## Texas' regional water plans


Regional water plans are funded by the Texas Legislature and developed every five years based on conditions that each region would face under a recurrence of a historical drought of record. The 16 regional water plans are developed by local representatives in a public, bottom-up process. The regional plans are reviewed and approved by the TWDB and become the basis for the state water plan. Regional and state water plans are developed to

- provide for the orderly development, management, and conservation of water resources,
- prepare for and respond to drought conditions, and
- make sufficient water available at a reasonable cost to ensure public health, safety, and welfare and further economic development while protecting the agricultural and natural resources of the entire state.

**The Region F Regional Water Planning Area** encompasses 32 counties in west central Texas from the Edwards Plateau to the Permian Basin (Figure F.1). The vast majority of the region lies within the Colorado and Rio Grande river basins. The Edwards-Trinity Plateau, Pecos Valley, and Ogallala aquifers provide the largest supplies of groundwater. The largest economic sectors in the region are the oil and gas industry, retail trade, healthcare, and agriculture. Major cities in the region include Midland, Odessa, and San Angelo. The 2021 Region F Regional Water Plan can be found on the TWDB website at <a href="http://www.twdb.texas.gov/waterplanning/rwp/plans/2021/#region-f.">http://www.twdb.texas.gov/waterplanning/rwp/plans/2021/#region-f.</a>

<sup>&</sup>lt;sup>1</sup> Planning numbers presented throughout this document and as compared to the 2022 Interactive State Water Plan may vary due to rounding.

#### Figure F.I - Region F regional water planning area



## Plan highlights

- Additional supply needed in 2070—103,000 acre-feet per year
- Recommended water management strategy volume in 2070—182,000 acre-feet per year
- III recommended water management strategy projects with a total capital cost of \$1.64 billion
- Conservation accounts for 36 percent of 2070 strategy volumes
- Innovative technologies, including direct potable reuse, indirect reuse, and groundwater desalination, account for 16 percent of 2070 strategy volumes.

#### Population and water demands

Approximately 2 percent of the state's 2020 population were projected to reside in Region F. Between 2020 and 2070, the region's population is projected to increase 45 percent (Table F.4, Figure F.2). By 2070, the total water demands for the region are projected to decrease 3 percent (Table F.4).

### Existing water supplies

More than 80 percent of the existing water supply in Region F is associated with groundwater (Table F.1, Figure F.3). By 2070, the total water supply is projected to decline 9 percent (Table F.4), primarily as a result of reservoir sedimentation and reduced groundwater availability.

### Needs

On a region-wide basis, Region F has water supply deficits from 2020 through 2070. The majority of needs are associated with municipal water use and irrigated agriculture (Table F.4). In the

event of drought, Region F is projected to have a total water supply need of 63,000 acre-feet in 2020 (Table F.4).

#### Recommended water management strategies and cost


The Region F Planning Group recommended a variety of water management strategies and projects that would overall provide more water than is required to meet future needs (Figures F.4 and F.5, Tables F.2 and F.3). In all, the 231 strategies and 111 projects would provide 182,000 acre-feet of additional water supply by the year 2070 at a total capital cost of \$1.64 billion.

Recommended water management strategies meet all identified needs in the plan except for 28,000 acre-feet per year associated with irrigation, livestock, manufacturing, mining, municipal, and steam-electric power uses in 2020 and increasing to approximately 40,000 acre-feet per year in 2070. The Region F plan demonstrated that municipal unmet needs would not pose a threat to public health, safety, and welfare in the event of a repeat of the drought of record. An unmet need does not prevent an associated entity from pursuing development of additional supply.

### Conservation

Conservation strategies represent 36 percent of the total volume of water associated with all recommended strategies in 2070. Over 90 percent of the region's recommended conservation savings is associated with irrigation demand reduction. Municipal conservation is recommended for all discrete municipal and county-other (rural municipal) water users with an identified water need. Water loss audit and leak repair strategies were recommended for cities with at least 15 percent water loss and water supply corporations or special utility districts with at least 25 percent water loss.

## Figure F.2 - Projected population for 2020–2070 (in millions)




Water supply source	2020	2070
Surface water		
Rio Grande Run-of-River	20,000	20,000
Balmorhea Lake/Reservoir	19,000	19,000
Colorado River MWD Lake/Reservoir System	14,000	12,000
Remaining surface water (sources providing less than 2% each)	46,000	44,000
Surface water total	99,000	95,000
Groundwater		
Edwards-Trinity-Plateau, Pecos Valley, and Trinity Aquifers	207,000	184,000
Edwards-Trinity-Plateau and Pecos Valley Aquifers	175,000	165,000
Ogallala and Edwards-Trinity-High Plains Aquifers	87,000	68,000
Lipan Aquifer	46,000	46,000
Hickory Aquifer	25,000	22,000
Dockum Aquifer	21,000	21,000
Ogallala Aquifer	21,000	21,000
Remaining groundwater (sources providing less than 2% each)	25,000	22,000
Groundwater total	606,000	547,000
Reuse	24,000	24,000
Region total	729,000	666,000

#### Table F.I - Existing water supplies for 2020 and 2070 (acre-feet per year)

Note: Total values in this table are presented as rounded actual total values rather than the sum of rounded values to provide consistent referencing of total values.

#### Figure F.3 - Share of existing water supplies by water source in 2020 (percent)



Recommended water management strategy project	Online Decade	Sponsor(s)	Associated capital cost
West Texas Water Partnership	2030	San Angelo; Abilene; Midland	\$549,093,000
CRMWD - Ward County Well Field Expansion and Development of		Colorado River Municipal	
Winkler County Well Field	2050	Water District	\$168,324,000
Concho River Water Project - San Angelo	2020	San Angelo	\$116,861,000
New Water Treatment Plant - Big Spring	2030	Big Spring	\$104,651,000
RO Treatment of Existing Supplies - Odessa	2030	Odessa	\$83,062,000
Advanced Treatment (RO) of Paul Davis Well Field Supplies - Midland	2040	Midland	\$60,804,000
Hickory Well Field Expansion in McCulloch County - San Angelo	2030	San Angelo	\$55,491,000
Partner with Madera Valley WSC & Expand Well Field - Pecos City	2030	Pecos	\$43,107,000
Advanced Groundwater Treatment - Brady	2020	Brady	\$29,719,000
Direct Potable Reuse - Pecos City	2030	Pecos	\$29,541,000
Other recommended projects	various	101 various	\$394,402,896
		Total capital cost	\$1,635,055,896

#### Table F.2 - Ten recommended water management strategy projects with largest capital cost

## Table F.3 - Ten recommended water management strategies with largest supply volume assigned to water user groups

Recommended water management strategy name	2070 projected population served by strategy*	Number of water user groups served	Strategy volume in acre-feet per year in 2070
West Texas Water Partnership	377,000	4	29,000
Irrigation Conservation - Pecos County	na	I	22,000
Subordination - CRMWD System	578,000	16	21,000
Develop Additional Pecos Valley Aquifer Supplies - Reeves County Mining	na	I	10,000
Partner with Madera Valley WSC & Expand Well Field - Pecos City	11,000	I	9,000
Irrigation Conservation - Reeves County	na	I	9,000
Concho River Water Project - San Angelo	170,000	7	8,000
Advanced Treatment (RO) of Paul Davis Well Field Supplies - Midland	224,000	I	6,000
Irrigation Conservation - Martin County	na	I	5,000
Weather Modification	na	10	5,000
Other recommended strategies	na	188	57,000
	Total a	nnual water volume	182,000

Note: Total values in this table are presented as rounded actual total values rather than the sum of rounded values to provide consistent referencing of total values.


 $\ast$  Multiple strategies may serve portions of the same population

	Decade	2020	2030	2040	2050	2060	2070	Change
	Population	716,000	798,000	859,000	919,000	978,000	1,040,000	45%
	Surface water	99,000	98,000	97,000	96,000	96,000	95,000	-4%
Existing	Groundwater	606,000	596,000	585,000	568,000	554,000	547,000	-10%
supplies	Reuse	24,000	24,000	24,000	24,000	24,000	24,000	<b>0</b> %
	Total water supplies	729,000	718,000	707,000	689,000	674,000	666,000	<b>-9</b> %
	Municipal	125,000	137,000	145,000	154,000	163,000	173,000	38%
	County-other	13,000	13,000	14,000	15,000	16,000	17,000	31%
	Manufacturing	12,000	13,000	13,000	13,000	13,000	13,000	<b>8</b> %
	Mining	109,000	110,000	91,000	67,000	46,000	34,000	<b>-69</b> %
Demands	Irrigation	477,000	477,000	477,000	477,000	477,000	477,000	0%
	Steam-electric	18,000	18,000	18,000	18,000	18,000	18,000	0%
	Livestock	12,000	12,000	12,000	12,000	12,000	12,000	<b>0</b> %
	Total water demand	765,000	780,000	770,000	755,000	745,000	744,000	-3%
	Municipal	14,000	18,000	23,000	33,000	43,000	55,000	<b>293</b> %
	County-other	<500	1,000	1,000	1,000	1,000	000, ا	<b>0</b> %*
	Manufacturing	1,000	1,000	1,000	1,000	2,000	2,000	100%
N	Mining	21,000	21,000	18,000	12,000	8,000	5,000	<b>-76</b> %
Needs	Irrigation	14,000	18,000	20,000	21,000	25,000	27,000	<b>93</b> %
	Steam-electric	13,000	13,000	13,000	13,000	13,000	13,000	<b>0</b> %
	Livestock	<500	<500	<500	<500	<500	<500	<b>0</b> %
	Total water needs	63,000	72,000	75,000	81,000	91,000	103,000	<b>63</b> %
	Municipal	27,000	65,000	73,000	78,000	83,000	89,000	230%
	County-other	1,000	5,000	6,000	6,000	6,000	6,000	<b>500%</b>
<b>a</b>	Manufacturing	1,000	2,000	2,000	2,000	2,000	3,000	200%
Strategy	Mining	19,000	19,000	18,000	17,000	16,000	15,000	-21%
supplies	Irrigation	29,000	49,000	66,000	66,000	67,000	67,000	131%
	Steam-electric	2,000	2,000	2,000	2,000	2,000	2,000	0%
	Total strategy supplies	79,000	141,000	166,000	171,000	176,000	182,000	130%

Table F.4 - Population,	existing supplies,	demands, needs,	and strategies	2020-2070	(acre-feet per year)
-------------------------	--------------------	-----------------	----------------	-----------	----------------------

Note: Total values in this table are presented as rounded actual total values rather than the sum of rounded values to provide consistent referencing of total values. Calculated percent change is based on rounded values.

\* Percentage based on change from the earliest decade with volumes  $\geq$ 500 acre-feet per year.



#### Figure F.4 - Volume of recommended water management strategies by water resource (acre-feet per year)




Figure F.5 - Share of recommended water management strategies by strategy type in 2070 (percent)

## Region F voting planning group members (2017–2021)

John Grant, water districts (Chair); Tom Arsuffi, public; Jerry Bearden, counties; Stephen Brown, river authorities; Chuck Brown, river authorities; Jimmy Carlile, industries; Don Daniel, agriculture; Ben Deishler, water districts; Ricky Dickson, municipalities; Kenneth Dierschke, agriculture; Ty Edwards, groundwater management areas; Tommy Ervin, small business; Ava Gerke, water districts; Richard Gist, water utilities; Michelle Guelker, municipalities; Charles Hagood, small business; Kim Halfmann, counties; Scott Holland, groundwater management areas; Scott McWilliams, river authorities; Wendell Moody, public; Raul Rodriguez, counties; Caroline Runge, environment; John Shepard, municipalities; Raymond Straub, Jr., groundwater management areas; Allison Strube, municipalities; Merle Taylor, municipalities; Gilbert Van Deventer, environment; Tim Warren, electric generating utilities; Paul Weatherby, groundwater management areas; Doug Wilde, agriculture; Len Wilson, public; and Rhetta Yanez, groundwater management areas. For more information on Texas or specific regions, counties, or cities, please visit the 2022 Interactive State Water Plan website: **2022.texasstatewaterplan.org**.

exas St	ate Water Plan			Developme	is Water () ent Board	ABOUT
w data for	Planning Region 👻	Select Region	<b>•</b> (	50		
	er Planning Area in <u>Texas</u>	F 2050 2060 207 SHOW DATA TABLE		Vinkler Ector Midla	rtin Howard Mitchell nd <u>sterling</u> C n Reagan Irion <sup>Tern</sup> Crockett Su	Fisher Jones Nolan Taylor E Coke Runnels Br n Greet Concho NicCulloc leicher Menard Masor itton Kimble Gil Edwards Kerr
-	F Regional Water Planning A		dwards Plateau ene	-		
River to the Basin and Pe Odessa, and <u>http://www.</u>	south and the Colorado Riv cos portion of the Rio Gran San Angelo. The 2021 Regic wdb.texas.gov/waterplannin	ver to the north, most o ide Basin; a small portic onal Water Plans can bo	dwards Plateau end of the region is loc on is in the Brazos e found on the TV	cated in the upper Basin. The major	r portion of the C r cities in the regio	Colorado River on include Midland,
River to the Basin and Pe Odessa, and <u>http://www.</u>	south and the Colorado Riv cos portion of the Rio Gran San Angelo. The 2021 Regio wdb.texas.gov/waterplannin	ver to the north, most o ide Basin; a small portic onal Water Plans can bo	dwards Plateau end of the region is loc on is in the Brazos e found on the TV	cated in the upper Basin. The major VDB website at:	r portion of the C r cities in the regio Demands	Colorado River
River to the Basin and Pe Odessa, and <u>http://www.</u> PLANNING P <b>Totals b</b>	south and the Colorado Riv cos portion of the Rio Gran San Angelo. The 2021 Regic wdb.texas.gov/waterplannin	ver to the north, most o ide Basin; a small portic onal Water Plans can bo	dwards Plateau end of the region is loc on is in the Brazos e found on the TV	cated in the upper Basin. The major VDB website at:	r portion of the C r cities in the regio Demands	Colorado River on include Midland, Existing Supplies
River to the Basin and Pe Odessa, and http://www.: PLANNING F Totals b 800,000 600,000 600,000 90,000	south and the Colorado Riv cos portion of the Rio Gran San Angelo. The 2021 Regio wdb.texas.gov/waterplannin tegiON F <b>y Decade</b> (acre-feet/year)	ver to the north, most o ide Basin; a small portic onal Water Plans can bo	dwards Plateau end of the region is loc on is in the Brazos e found on the TV <u>casp</u> .	cated in the upper Basin. The major VDB website at:	r portion of the C r cities in the regio Demands	Colorado River on include Midland, Existing Supplies
River to the Basin and Pe Odessa, and http://www.: PLANNING F Totals b 800,000 600,000 600,000 600,000	south and the Colorado Riv cos portion of the Rio Gran San Angelo. The 2021 Regio wdb.texas.gov/waterplannin tegiON F <b>y Decade</b> (acre-feet/year)	ver to the north, most of ide Basin; a small portio onal Water Plans can bo g/rwp/plans/2021/index	dwards Plateau end of the region is loc on is in the Brazos e found on the TV <u>casp</u> .	Needs (Pote	r portion of the C r cities in the region Demands ential Shortages)	<ul> <li>Colorado River</li> <li>on include Midland,</li> <li>Existing Supplies</li> <li>Strategy Supplies</li> </ul>
River to the Basin and Pe Odessa, and http://www.: PLANNING F Totals b 800,000 600,000 600,000 600,000	south and the Colorado Riv cos portion of the Rio Gran San Angelo. The 2021 Regio wdb.texas.gov/waterplannin tegion F y Decade (acre-feet/year)	ver to the north, most of ide Basin; a small portio onal Water Plans can b g/rwp/plans/2021/index	dwards Plateau end of the region is loc on is in the Brazos e found on the TV <u>casp</u> . 20	Needs (Pote	Demands Demands Demands ential Shortages)	<ul> <li>Existing Supplies</li> <li>Strategy Supplies</li> <li>2070</li> </ul>
River to the Basin and Pe Odessa, and http://www.r PLANNING F Totals b 800,000 600,000 600,000 200,000 0	south and the Colorado Riv cos portion of the Rio Gran San Angelo. The 2021 Regio cwdb.texas.gov/waterplannin REGION F y Decade (acre-feet/year) 2020 20 2020 20 2020 20	ver to the north, most of ide Basin; a small portion onal Water Plans can be g <u>/rwp/plans/2021/index</u> 000000000000000000000000000000000000	dwards Plateau end of the region is loc on is in the Brazos e found on the TV <u>casp</u> . 20 2040	Needs (Pote	Demands Demands Ential Shortages)	Colorado River on include Midland, Existing Supplies Strategy Supplies
River to the Basin and Pe Odessa, and http://www.: PLANNING F Totals b 800,000 600,0000 600,0000 600,00000000	south and the Colorado Riv cos portion of the Rio Gran San Angelo. The 2021 Regio cwdb.texas.gov/waterplannin REGION F y Decade (acre-feet/year) 2020 20 2020 20 20 2020 20 20 20 20 20 20 20 20 20 20 20 20 20 2	ver to the north, most of ide Basin; a small portion onal Water Plans can be g <u>/rwp/plans/2021/index</u> 000000000000000000000000000000000000	dwards Plateau end of the region is loc on is in the Brazos e found on the TV <u>casp</u> . 20 2040 769,525	Needs (Pote	Demands Demands ential Shortages)	Existing Supplies Existing Supplies Strategy Supplies 2070 2070 744.366



Texas Water Development Board 1700 North Congress Avenue, Austin, Texas 78701 512-463-7847 www.twdb.texas.gov